AMENDMENT TO THE CLAIMS

Please amend claims 2, 4-8, 10, 11, 16 and 18-22, and cancel claim 17, as follows:

- 1. (Original) A polypeptide, derivative or analogue thereof comprising a tandem repeat of apoE141-149 of SEQ ID No 2 or a truncation thereof, characterised in that at least one Leucine (L) residue of SEQ ID No. 2 is replaced by an amino acid with a side chain comprising at least 4 carbon atoms and at least one Nitrogen atom.
- 2. (Currently Amended) The polypeptide, derivative or analogue thereof according to claim 1 wherein the amino acid used to replace the Leucine is selected from the group consisting of Tryptophan (W), Arginine (R), or Lysine (K) and or derivatives thereof.
- 3. (Original) The polypeptide, derivative or analogue thereof according to claim 2 wherein the amino acid used to replace the Leucine is Tryptophan (W) or a derivative thereof.
- 4. (Currently Amended) The polypeptide, derivative or analogue thereof according to <u>claim</u>
 1 any one of claims 1-3 wherein at least two W, R or K substitutions are made.
- (Currently Amended) The polypeptide, derivative or analogue thereof according to <u>claim</u>

 <u>1</u> any one of claims 1-4 wherein at least one further amino acid is replaced with
 Asparagine (N), Tyrosine (Y), Cysteine (C), Methionine (M), Phenylalanine (F),
 Isoleucine (I), Glutamine (Q), or Histidine (H) or is deleted.
- 6. (Currently Amended) The polypeptide, derivative or analogue thereof according to claim
 1 any one of claims-1-4 with the amino acid sequence:

 WRKWRKRWWWRKWRKRWW (SEQ ID No. 3); WRKWRKRWRKWRKR (SEQ ID No. 4); WRKWRKRWWLRKLRKRLL (SEQ ID No. 5); YRKYRKRYYYRKYRKRYY (SEQ ID No. 6); WRKWRKRWWRKWWRKRWW (SEQ ID No. 52);

 WRKWRKRWRKWRKRWW (SEQ ID No. 53); WRKWRKRWWFRKWRKRWW (SEQ ID No. 54); WRKWRKRWFFRKWRKRFF (SEQ ID No. 55);

3

Los Angeles

- 7. (Currently Amended) The polypeptide, derivative or analogue according to <u>claim 1</u> any <u>preceding claim</u> wherein an amino acid is added to the peptide.
- 8. (Currently Amended) The polypeptide, derivative or analogue according to claim <u>78</u> wherein the amino acid is added to the N terminal, C terminal and/or between the <u>ninth</u> <u>9th</u> and <u>tenth</u> <u>10th</u> amino acids of SEQ ID No.2
- 9. (Original) The polypeptide, derivative or analogue according to claim 8 comprising WRKWRKRWWRWRKWWRKRWWR (SEQ ID No. 66).
- 10. (Currently Amended) The polypeptide, derivative or analogue according to <u>claim 1</u> any <u>preceding claim</u> which is a peptoid analogue.
- 11. (Currently Amended) The polypeptide, derivative or analogue according to <u>claim 1</u> any <u>preceding claim</u> which is a peptide/peptoid hybrid.

4

- 12 (Original) A polypeptide, derivative or analogue thereof comprising YRKYRKRYYYRKYRKRYY (SEQ ID No. 6)
- 13. (Original) A polypeptide, derivative or analogue thereof comprising LRKLRKRLLLRKLRK (SEQ ID No. 7).

Los Angeles

- 14. (Original) A polypeptide, derivative or analogue thereof comprising LRKLRKRLRKLRKR (SEQ ID No. 8).
- 15. (Original) A polypeptide, derivative or analogue thereof comprising LRKLRKLRKLRKLRKLRK (SEQ ID No. 9).
- 16. (Currently Amended) A <u>composition</u>, <u>comprising the</u> polypeptide, derivative or analogue according to <u>claim 1</u> any preceding claim for use as a medicament.
 - Claim 17 (Canceled).
- 18. (Currently Amended) The use of an An agent adapted to increase capable of increasing the biological activity of the a polypeptide, derivative or analogue according to claim 1 any one of claims 1 15 in the manufacture of a medicament for treating viral infections.
- 19. (Currently Amended) A method of preventing and/or treating a viral infection, comprising administering to a subject in need of such treatment a therapeutically effective amount of a polypeptide, derivative or analogue according to <u>claim 1</u> any <u>preceding claim</u>.
- 20. (Currently Amended) A nucleic acid sequence encoding a polypeptide, derivative or analogue according to claim 1 any of claims 1-15.
- 21. (Currently Amended) A <u>composition</u>, <u>comprising the</u> nucleic acid sequence according to claim 20 for use as a medicament.
- 22. (Currently Amended) A method of preventing and/or treating a viral infection comprising administering to a subject in need of such treatment a therapeutically effective amount of a nucleic acid sequence according to claim 20 or 21.